

Rate Contract
Government of India
Directorate General of Supplies & Disposals
Jeevan Tara Building, 5 Sansad Marg
New Delhi-110001
Tel Number 23360610/23360537

Digitally signed by:
ANIL BHATIA
Email Id:
anilbhatia.dgsnd@nic.in

Rate Contract no. DLBM/WMT-2/RC-V30A0000/1016/12/NC387/29
Dated 30-OCT-15

To,

JAIMINI
WZ-934/5, BASAI DARA PUR, RATTAN PARK, SHIVAJI MARG, NEW
DELHI 110015
NEW DELHI

Sub: Rate Contract for supply of Document Laminating & Binder Machine
Validity: From 01-NOV-15 To 06-JUN-16 .

Ref:(1) This Office Tender Enquiry No. DLBM/WMT-2/RC-V30A0000/1016/12
Opened on 21-AUG-15.
(2) Your Quotation No. 7980 And Dated
17-AUG-15.

Dear Sir,

You are hereby informed that your above referred tender read with subsequent letters mentioned above for the Stores specified in the Schedules annexed has been accepted. This rate contract will be governed by the terms and conditions brought in the Form no. DGS&D 1001 including DGS&D Arbitration Clause available from DGS&d sales counter on payment of Rs. 50/- The dispute cannot be referred by the contractor or entertained by facilitation Council or any other adjudicating forum. The Rate Contract and the schedules annexed here to shall be the sole repository of this Rate Contract/Transaction.

SCHEDULES ANNEXED

- 1.Schedule "A" Description of stores,prices,duties/taxes.
- 2.Schedule "B" special conditions of contract / Other information.
- 3.Schedule "C" Information to DDOs about parallel rate contracts.
- 4.Annexure - Technical Specification

Yours Faithfully,

()

Assistant Director(S)/Section Officer/Dy.Director/Director/DDG(S)
For and on behalf of the purchaser named in the Form DGS&D 1001.

SCHEDULE - A

1. Rate Contract No.: -DLBM/WMT-2/RC-V30A0000/1016/12/NC387/29
Dated 30-OCT-15 For the Supply of Document Laminating & Binder Machine

2. Advance Rate Contract No.: - NIL
Dated

3.(a) Name and Full Address of the Firm :-

JAIMINI
WZ-934/5, BASAI DARA PUR, RATTAN PARK,
SHIVAJI MARG, NEW DELHI 110015
NEW DELHI
DELHI - 110015
Tel. No. - 9818955900, 011-25416806
Fax - 011-25468566
Email - jbsi@jaiminilamibind.com

(b) Name and Full Address of Manufacturer :-
M/s. Jaimini Brothers Steel Industries,
M-14, Sector-02, DSIDC Industrial Area,
Bawana, New Delhi-110039

(c) Brand: JAIMIMI

4. Validity of Rate Contract: 01-NOV-15 To 06-JUN-16

5. Description of Item, Specification, Unit, Rate

Item No.	Model No.	Store Description	Taxation			Unit	Rate (in Rs)	
			ED	ED%	CST/VAT			CST/VAT%
1	JAIMINI/JB-21S	Manual Punching Machine for Manual Binding			Type of Binder: Spiral, Size of Paper: A4 (210mmx297mm), No. of Punch: 36, Punching Capacity: 15	NOS.	20480.4 Rs. TWENTY THOUSAND FOUR HUNDRED EIGHTY AND PAISE FORTY ONLY	
			N.A		Excl.	12.5		
		Min. Order Qty (in unit):-	1	Lead Time (in days):-		30	Rate of Supply (monthly):-	10
2	JAIMINI/JB-68S	Manual Punching Machine for Manual Binding			Type of Binder: Spiral, Size of Paper: A3 (297mmx420mm), No. of Punch: 52, Punching Capacity: 12	NOS.	33930.9 Rs. THIRTY-THREE THOUSAND NINE	

HUNDRED
THIRTY
AND PAISE
NINETY
ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
3	JAIMINI/JB-210S	Manual Punching Machine for Manual Binding	Type of Binder: Comb,Size of Paper: A4 (210mmx297mm),No. of Punch: 21,Punching Capacity: 15	NOS.	21046.5 Rs. TWENTY-ONE THOUSAN D FORTY-SIX AND PAISE FIFTY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
4	JAIMINI/JB-280S	Manual Punching Machine for Manual Binding	Type of Binder: Comb,Size of Paper: A3 (297mmx420mm),No. of Punch: 28,Punching Capacity: 12	NOS.	33481.8 Rs. THIRTY-THREE THOUSAN D FOUR HUNDRED EIGHTY-ONE AND PAISE EIGHTY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
10	JAIMINI/JB-888S	Electrical Punching Machines for Manual Binding	Type of Binder: Spiral,Overload Protection: Yes,Size of Paper: A4 (210mmx297mm),No. of Punch (Min.): 36,Punching Capacity (Min. on 70 GSM Sheet): 35	NOS.	109055.7 Rs. ONE LAKHS NINE THOUSAN D FIFTY-FIVE AND PAISE SEVENTY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
13	JAIMINI/JB-210SE	Electrical Punching Machines for Manual Binding	Type of Binder: Comb,Overload Protection: Yes,Size of Paper: A4 (210mmx297mm),No. of Punch (Min.): 21,Punching Capacity (Min. on 70 GSM Sheet): 15	NOS.	69973.2 Rs. SIXTY-NINE THOUSAN D NINE HUNDRED SEVENTY-THREE

AND PAISE
TWENTY
ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):- 10	
14	JAIMINI/JB-999S	Electrical Punching Machines for Manual Binding	Type of Binder: Comb,Overload Protection: Yes,Size of Paper: A4 (210mmx297mm),No. of Punch (Min.): 21,Punching Capacity (Min. on 70 GSM Sheet): 35	NOS.	111555.9 Rs. ONE LAKHS ELEVEN THOUSAN D FIVE HUNDRED FIFTY-FIVE AND PAISE NINETY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):- 10	
15	JAIMINI/JB-280SE	Electrical Punching Machines for Manual Binding	Type of Binder: Comb,Overload Protection: Yes,Size of Paper: A3 (297mmx420mm),No. of Punch (Min.): 28,Punching Capacity (Min. on 70 GSM Sheet): 15	NOS.	115364.7 Rs. ONE LAKHS FIFTEEN THOUSAN D THREE HUNDRED SIXTY- FOUR AND PAISE SEVENTY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):- 10	
28	JAIMINI/JB-35D	Electrical Punching Machines for Manual Binding	Type of Binder: Spiral cum Comb cum wiro (3:1),Overload Protection: Yes,Size of Paper: A3 (297mmx420mm),No. of Punch (Min.): 52/28/48,Punching Capacity (Min. on 70 GSM Sheet): 15	NOS.	433522.8 Rs. FOUR LAKHS THIRTY- THREE THOUSAN D FIVE HUNDRED TWENTY- TWO AND PAISE EIGHTY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):- 10	
32	JAIMINI/JB-18	Pouch Lamination Machine (Desktop Type)	Size of Lamination: A3 (297 X 420 mm),Thickness of Lamination Film: Up to 350 Micron	NOS.	37055.7 Rs. THIRTY- SEVEN THOUSAN D FIFTY-

FIVE AND
PAISE
SEVENTY
ONLY

		N.A	Excl.	12.5		
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10		
33	JAIMINI/JB- 305	Roll to Roll Hot Lamination Machine	Width of the Lamination mm,Thickness of Lamination to 150 Micron	(Min.): Film: Up	305 NOS.	61689.6 Rs. SIXTY- ONE THOUSAN D SIX HUNDRED EIGHTY- NINE AND PAISE SIXTY ONLY

		N.A	Excl.	12.5		
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10		
34	JAIMINI/JB- 457	Roll to Roll Hot Lamination Machine	Width of the Lamination mm,Thickness of Lamination to 150 Micron	(Min.): Film: Up	457 NOS.	76625.1 Rs. SEVENTY- SIX THOUSAN D SIX HUNDRED TWENTY- FIVE AND PAISE TEN ONLY

		N.A	Excl.	12.5		
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10		
35	JAIMINI/JB- 685	Roll to Roll Hot Lamination Machine	Width of the Lamination mm,Thickness of Lamination to 150 Micron	(Min.): Film: Up	685 NOS.	111432.6 Rs. ONE LAKHS ELEVEN THOUSAN D FOUR HUNDRED THIRTY- TWO AND PAISE SIXTY ONLY

		N.A	Excl.	12.5		
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10		
36	JAIMINI/JB- 785	Roll to Roll Hot Lamination Machine	Width of the Lamination mm,Thickness of Lamination to 150 Micron	(Min.): Film: Up	785 NOS.	136748.7 Rs. ONE LAKHS THIRTY- SIX THOUSAN D SEVEN

HUNDRED
FORTY-
EIGHT
AND PAISE
SEVENTY
ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
37	JAIMINI/JB-1016	Roll to Roll Hot Lamination Machine	Width of the Lamination (Min.): 1016 mm,Thickness of Lamination Film: Up to 150 Micron	NOS.	235077.3 Rs. TWO LAKHS THIRTY-FIVE THOUSAN D SEVENTY-SEVEN AND PAISE THIRTY ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
38	JAIMINI/JB-1320	Roll to Roll Hot Lamination Machine	Width of the Lamination (Min.): 1320 mm,Thickness of Lamination Film: Up to 150 Micron	NOS.	555282 Rs. FIVE LAKHS FIFTY-FIVE THOUSAN D TWO HUNDRED EIGHTY-TWO ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
40		Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 305 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS.	1654.2 Rs. ONE THOUSAN D SIX HUNDRED FIFTY-FOUR AND PAISE TWENTY ONLY

		N.A	Excl.	5	
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
41		Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 457 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS.	2457 Rs. TWO THOUSAN D FOUR HUNDRED FIFTY-SEVEN ONLY

	N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30
		Rate of Supply(monthly):-	10
42	Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 685 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS. 3685.5 Rs. THREE THOUSAN D SIX HUNDRED EIGHTY-FIVE AND PAISE FIFTY ONLY

	N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30
		Rate of Supply(monthly):-	10
43	Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 785 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS. 4212.9 Rs. FOUR THOUSAN D TWO HUNDRED TWELVE AND PAISE NINETY ONLY

	N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30
		Rate of Supply(monthly):-	10
44	Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 1016 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS. 5434.2 Rs. FIVE THOUSAN D FOUR HUNDRED THIRTY-FOUR AND PAISE TWENTY ONLY

	N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30
		Rate of Supply(monthly):-	10
45	Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 1320 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS. 7101 Rs. SEVEN THOUSAN D ONE HUNDRED ONE ONLY

	N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30
		Rate of Supply(monthly):-	10
46	Laminating Film Rolls (Accessories)	Thickness of Film: 27 Micron,Width of Film: 1524 mm,Lenght of Film: 150 Meters,Material: (12 PET + 15 EVA)	NOS. 8096.4 Rs. EIGHT THOUSAN D NINETY-SIX AND PAISE FORTY

				ONLY
		N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30	Rate of Supply(monthly):-
47	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron, Width of Film: 305 mm, Length of Film: 75 Meters, Material: (50 PET + 25 EVA)	NOS.	1606.5 Rs. ONE THOUSAND SIX HUNDRED SIX AND FIFTY ONLY
		N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30	Rate of Supply(monthly):-
48	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron, Width of Film: 457 mm, Length of Film: 75 Meters, Material: (50 PET + 25 EVA)	NOS.	2221.2 Rs. TWO THOUSAND TWO HUNDRED TWENTY-ONE AND PAISE TWENTY ONLY
		N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30	Rate of Supply(monthly):-
49	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron, Width of Film: 685 mm, Length of Film: 75 Meters, Material: (50 PET + 25 EVA)	NOS.	3496.5 Rs. THREE THOUSAND FOUR HUNDRED NINETY-SIX AND PAISE FIFTY ONLY
		N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30	Rate of Supply(monthly):-
50	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron, Width of Film: 785 mm, Length of Film: 75 Meters, Material: (50 PET + 25 EVA)	NOS.	4023.9 Rs. FOUR THOUSAND TWENTY-THREE AND PAISE NINETY ONLY
		N.A	Excl.	5
Min.Order Qty(in unit):-	1	Lead Time(in days):-	30	Rate of Supply(monthly):-
51	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron, Width of Film: 1016 mm, Length of Film: 75 Meters, Material: (50 PET + 25 EVA)	NOS.	4867.2 Rs. FOUR THOUSAN

D EIGHT
HUNDRED
SIXTY-
SEVEN
AND PAISE
TWENTY
ONLY

		N.A	Excl.	5
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10
52	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron,Width of Film: 1320 mm,Lenght of Film: 75 Meters,Material: (50 PET + 25 EVA)	NOS.	6520.5 Rs. SIX THOUSAN D FIVE HUNDRED TWENTY AND PAISE FIFTY ONLY
		N.A	Excl.	5
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10
53	Laminating Film Rolls (Accessories)	Thickness of Film: 75 Micron,Width of Film: 1524 mm,Lenght of Film: 75 Meters,Material: (50 PET + 25 EVA)	NOS.	8458.2 Rs. EIGHT THOUSAN D FOUR HUNDRED FIFTY- EIGHT AND PAISE TWENTY ONLY
		N.A	Excl.	5
		Min.Order Qty(in unit):- 1	Lead Time(in days):- 30	Rate of Supply(monthly):-10
54	Laminating Pouch (Accessories)	Size: 70 mm x 100 mm,Thickness of Laminating Film (Min.): 175 Microm,Material: (100 PET + 75 EVA)	NOS.	3.72 Rs. THREE AND PAISE SEVENTY- TWO ONLY
		N.A	Excl.	5
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10
55	Laminating Pouch (Accessories)	Size: 70 mm x 100 mm,Thickness of Laminating Film (Min.): 225 Micron,Material: (175 PET + 50 EVA)	NOS.	5.15 Rs. FIVE AND PAISE FIFTEEN ONLY
		N.A	Excl.	5
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10
56	Laminating Pouch (Accessories)	Size: 80 mm x 110 mm,Thickness of Laminating Film (Min.): 225 Micron,Material: (175 PET + 50 EVA)	NOS.	5.71 Rs. FIVE AND PAISE SEVENTY- ONE ONLY
		N.A	Excl.	5

	Min.Order Qty(in unit):- 100	Lead Time(in days):-30	Rate of Supply(monthly):-10	
57	Laminating Pouch (Accessories)	Size: 80 mm x 110 mm,Thickness of Laminating Film (Min.): 175 Micron,Material: (100 PET + 75 EVA)	NOS.	5.48 Rs. FIVE AND PAISE FORTY- EIGHT ONLY
	N.A	Excl.	5	
	Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
58	Laminating Pouch (Accessories)	Size: 100 mm x 140 mm,Thickness of Laminating Film (Min.): 225 Micron,Material: (175 PET + 50 EVA)	NOS.	8.55 Rs. EIGHT AND PAISE FIFTY-FIVE ONLY
	N.A	Excl.	5	
	Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
59	Laminating Pouch (Accessories)	Size: 100 mm x 140 mm,Thickness of Laminating Film (Min.): 175 Micron,Material: (100 PET + 75 EVA)	NOS.	7.33 Rs. SEVEN AND PAISE THIRTY- THREE ONLY
	N.A	Excl.	5	
	Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
60	Laminating Pouch (Accessories)	Size: 216 mm x 303 mm,Thickness of Laminating Film (Min.): 225 Micron,Material: (175 PET + 50 EVA)	NOS.	22.45 Rs. TWENTY- TWO AND PAISE FORTY- FIVE ONLY
	N.A	Excl.	5	
	Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
61	Laminating Pouch (Accessories)	Size: 216 mm x 303 mm,Thickness of Laminating Film (Min.): 175 Micron,Material: (100 PET + 75 EVA)	NOS.	20.51 Rs. TWENTY AND PAISE FIFTY-ONE ONLY
	N.A	Excl.	5	
	Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
62	Laminating Pouch (Accessories)	Size: 303 mm x 426 mm,Thickness of Laminating Film (Min.): 225 Micron,Material: (175 PET + 50 EVA)	NOS.	34.28 Rs. THIRTY- FOUR AND PAISE TWENTY- EIGHT ONLY
	N.A	Excl.	5	
	Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	

63	Laminating Pouch (Accessories)	Size: 303 mm x 426 mm,Thickness of Laminating Film (Min.): 175 Micron,Material: (100 PET + 75 EVA)	NOS.	31.65 Rs. THIRTY- ONE AND PAISE SIXTY- FIVE ONLY
		N.A	Excl.	5
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30
			Rate of Supply(monthly):-	10
72	Spiral & Comb Ring (Accessories)	Material of Wire: Plastic,No. of Sheets (Min. on 70 GSM Sheet): 50	NOS.	5.4 Rs. FIVE AND PAISE FORTY ONLY
		N.A	Excl.	5
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30
			Rate of Supply(monthly):-	10
73	Spiral & Comb Ring (Accessories)	Material of Wire: Plastic,No. of Sheets (Min. on 70 GSM Sheet): 120	NOS.	13.72 Rs. THIRTEEN AND PAISE SEVENTY- TWO ONLY
		N.A	Excl.	5
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30
			Rate of Supply(monthly):-	10
74	Spiral & Comb Ring (Accessories)	Material of Wire: Plastic,No. of Sheets (Min. on 70 GSM Sheet): 175	NOS.	18.67 Rs. EIGHTEEN AND PAISE SIXTY- SEVEN ONLY
		N.A	Excl.	5
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30
			Rate of Supply(monthly):-	10
75	Spiral & Comb Ring (Accessories)	Material of Wire: Plastic,No. of Sheets (Min. on 70 GSM Sheet): 225	NOS.	21.11 Rs. TWENTY- ONE AND PAISE ELEVEN ONLY
		N.A	Excl.	5
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30
			Rate of Supply(monthly):-	10
76	Spiral & Comb Ring (Accessories)	Material of Wire: Plastic,No. of Sheets (Min. on 70 GSM Sheet): 300	NOS.	25.96 Rs. TWENTY- FIVE AND PAISE NINETY- SIX ONLY
		N.A	Excl.	5
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30
			Rate of Supply(monthly):-	10
77	Spiral & Comb Ring	Material of Wire: Plastic,No. of Sheets	NOS.	31.18

	(Accessories)	(Min. on 70 GSM Sheet):	450		Rs. THIRTY- ONE AND PAISE EIGHTEEN ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
78	Spiral & Comb Ring (Accessories)	Material of Wire: Aluminium, (Min. on 70 GSM Sheet):	No. of Sheets 50	NOS.	11.42 Rs. ELEVEN AND PAISE FORTY- TWO ONLY	
	N.A	Excl.	12.5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
79	Spiral & Comb Ring (Accessories)	Material of Wire: Aluminium, (Min. on 70 GSM Sheet):	No. of Sheets 120	NOS.	31.66 Rs. THIRTY- ONE AND PAISE SIXTY-SIX ONLY	
	N.A	Excl.	12.5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
80	Spiral & Comb Ring (Accessories)	Material of Wire: Aluminium, (Min. on 70 GSM Sheet):	No. of Sheets 175	NOS.	38.1 Rs. THIRTY- EIGHT AND PAISE TEN ONLY	
	N.A	Excl.	12.5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
81	Spiral & Comb Ring (Accessories)	Material of Wire: Aluminium, (Min. on 70 GSM Sheet):	No. of Sheets 225	NOS.	41.1 Rs. FORTY- ONE AND PAISE TEN ONLY	
	N.A	Excl.	12.5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
82	Spiral & Comb Ring (Accessories)	Material of Wire: Aluminium, (Min. on 70 GSM Sheet):	No. of Sheets 450	NOS.	49.99 Rs. FORTY- NINE AND PAISE NINETY- NINE ONLY	
	N.A	Excl.	12.5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
83	Spiral & Comb Ring (Accessories)	Material of Wire: Aluminium, (Min. on 70 GSM Sheet):	No. of Sheets 300	NOS.	52.85 Rs. FIFTY- TWO AND	

PAISE
EIGHTY-
FIVE ONLY

		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
84	Thermal Folder (Accessories)	Size: A4 (210 X 297 mm), (Min. on 70 GSM Sheet):	No. of Sheets 22	NOS.	21.83 Rs. TWENTY- ONE AND PAISE EIGHTY- THREE ONLY
		N.A	Excl.	5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
85	Thermal Folder (Accessories)	Size: A4 (210 X 297 mm), (Min. on 70 GSM Sheet):	No. of Sheets 120	NOS.	25.65 Rs. TWENTY- FIVE AND PAISE SIXTY- FIVE ONLY
		N.A	Excl.	5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
86	Thermal Folder (Accessories)	Size: A4 (210 X 297 mm), (Min. on 70 GSM Sheet):	No. of Sheets 175	NOS.	29.7 Rs. TWENTY- NINE AND PAISE SEVENTY ONLY
		N.A	Excl.	5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
87	Thermal Folder (Accessories)	Size: A4 (210 X 297 mm), (Min. on 70 GSM Sheet):	No. of Sheets 225	NOS.	32.28 Rs. THIRTY- TWO AND PAISE TWENTY- EIGHT ONLY
		N.A	Excl.	5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
88	Thermal Folder (Accessories)	Size: A4 (210 X 297 mm), (Min. on 70 GSM Sheet):	No. of Sheets 300	NOS.	43.65 Rs. FORTY- THREE AND PAISE SIXTY- FIVE ONLY
		N.A	Excl.	5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
89	Thermal Folder	Size: A4 (210 X 297 mm),	No. of Sheets	NOS.	53.17

	(Accessories)	(Min. on 70 GSM Sheet):	400		Rs. FIFTY-THREE AND PAISE SEVENTEE N ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
90	Thermal Folder (Accessories)	Size: A3 (297 X 420 mm), (Min. on 70 GSM Sheet):	No. of Sheets 120	NOS.	55.07 Rs. FIFTY-FIVE AND PAISE SEVEN ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
91	Thermal Folder (Accessories)	Size: A3 (297 X 420 mm), (Min. on 70 GSM Sheet):	No. of Sheets 175	NOS.	61.72 Rs. SIXTY-ONE AND PAISE SEVENTY-TWO ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
92	Thermal Folder (Accessories)	Size: A3 (297 X 420 mm), (Min. on 70 GSM Sheet):	No. of Sheets 225	NOS.	69.32 Rs. SIXTY-NINE AND PAISE THIRTY-TWO ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
93	Thermal Folder (Accessories)	Size: A3 (297 X 420 mm), (Min. on 70 GSM Sheet):	No. of Sheets 300	NOS.	76.9 Rs. SEVENTY-SIX AND PAISE NINETY ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
94	Thermal Folder (Accessories)	Size: A3 (297 X 420 mm), (Min. on 70 GSM Sheet):	No. of Sheets 400	NOS.	83.56 Rs. EIGHTY-THREE AND PAISE FIFTY-SIX ONLY	
	N.A	Excl.	5			
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-	10
95	Thermal Folder (Accessories)	Size: A3 (297 X 420 mm), (Min. on 70 GSM Sheet):	No. of Sheets 50	NOS.	104.44 Rs. ONE HUNDRED	

FOUR AND
PAISE
FORTY-
FOUR
ONLY

		N.A	Excl.	5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
96	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm),Ratio: 2:1,No. of Sheets 50	(Min. on 70 GSM Sheet):	NOS.	12.4 Rs. TWELVE AND PAISE FORTY ONLY
		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
97	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm),Ratio: 2:1,No. of Sheets 120	(Min. on 70 GSM Sheet):	NOS.	20.03 Rs. TWENTY AND PAISE THREE ONLY
		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
98	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm),Ratio: 2:1,No. of Sheets 175	(Min. on 70 GSM Sheet):	NOS.	27.54 Rs. TWENTY- SEVEN AND PAISE FIFTY- FOUR ONLY
		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
99	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm),Ratio: 2:1,No. of Sheets 225	(Min. on 70 GSM Sheet):	NOS.	36.25 Rs. THIRTY- SIX AND PAISE TWENTY- FIVE ONLY
		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
100	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm),Ratio: 2:1,No. of Sheets 300	(Min. on 70 GSM Sheet):	NOS.	68.04 Rs. SIXTY- EIGHT AND PAISE FOUR ONLY
		N.A	Excl.	12.5	
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10	
101	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm),Ratio: 3:1,No. of Sheets	(Min. on 70 GSM Sheet):	NOS.	13.36 Rs.

		50			THIRTEEN AND PAISE THIRTY- SIX ONLY
		N.A	Excl.	12.5	
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-10
102	Wiro Ring (Accessories)	Size: A4 (210 X 297 mm), Ratio: 3:1,No. of Sheets (Min. on 70 GSM Sheet): 120	NOS.	20.36 Rs. TWENTY AND PAISE THIRTY- SIX ONLY	
		N.A	Excl.	12.5	
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-10
106	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm), Ratio: 2:1,No. of Sheets (Min. on 70 GSM Sheet): 50	NOS.	29.15 Rs. TWENTY- NINE AND PAISE FIFTEEN ONLY	
		N.A	Excl.	12.5	
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-10
107	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm), Ratio: 2:1,No. of Sheets (Min. on 70 GSM Sheet): 120	NOS.	45.14 Rs. FORTY- FIVE AND PAISE FOURTEEN ONLY	
		N.A	Excl.	12.5	
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-10
108	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm), Ratio: 2:1,No. of Sheets (Min. on 70 GSM Sheet): 175	NOS.	59.25 Rs. FIFTY- NINE AND PAISE TWENTY- FIVE ONLY	
		N.A	Excl.	12.5	
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-10
109	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm), Ratio: 2:1,No. of Sheets (Min. on 70 GSM Sheet): 225	NOS.	77.12 Rs. SEVENTY- SEVEN AND PAISE TWELVE ONLY	
		N.A	Excl.	12.5	
	Min.Order Qty(in unit):-	100	Lead Time(in days):-	30	Rate of Supply(monthly):-10
110	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm), Ratio: 2:1,No. of Sheets (Min. on 70 GSM Sheet): 300	NOS.	142.69 Rs. ONE HUNDRED FORTY-	

TWO AND
PAISE
SIXTY-
NINE
ONLY

		N.A	Excl.	12.5
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10
111	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm),Ratio: 3:1,No. of Sheets 50	(Min. on 70 GSM Sheet):	NOS. 28.21 Rs. TWENTY- EIGHT AND PAISE TWENTY- ONE ONLY
		N.A	Excl.	12.5
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10
112	Wiro Ring (Accessories)	Size: A3 (297 X 420 mm),Ratio: 3:1,No. of Sheets 120	(Min. on 70 GSM Sheet):	NOS. 32.91 Rs. THIRTY- TWO AND PAISE NINETY- ONE ONLY
		N.A	Excl.	12.5
		Min.Order Qty(in unit):- 100	Lead Time(in days):- 30	Rate of Supply(monthly):-10

6-Terms of Delivery:	Free delivery at consignee's site.
7-Excise Duty:	Not applicable at present and will not be charged even if it is later on.
8-Sales Tax:	Extra @ 12.5%
9-Delivery Period:	As per clause 5 (above)
10(a)-Annual Turnover:	2010-11 110.46 In Lacs 2011-12 112.9 In Lacs 2012-13 65.26
(b)-Monetary Limit(In Rs.):	4900000
11-Payment Terms:	As per General Terms & Conditions
12-Slab Discount Clause:	Not Applicable
13-Prices:	FIXED
14-Quantity Offered:	Not Applicable
15-Minimum Quantity in Single Supply Order:	
16-Minimum order Value in Single Supply Order:	
17-Status of the RC Holding Firm:	SSI
18-Paying Authority:	PAO,User Deptt

(a)The payment to the suppliers in all the adhoc Contract (A/Ts) and / or Supply Order placed against DGS&D Rate Contracts shall be made directly by indentors i.e. order placing

authority through their concerned Pay & Accounts Offices only, instead of CCA(Supply) or its Regional Pay & Accounts Offices of Department of Commerce.

(b)The payment to the supplier shall be paid by the indentors as per prescribed forms of payments including timelines for payments within 60 days of due date which must be ensured by the indentors. Delays, if any, in this regard would render the indentors responsible and not the DGS&D in any manner whatsoever.

(c)Consequently, the requisite Departmental charges + prevailing Service Tax thereon shall be deposited by the respective Pay & Account offices (PAO) of the indentors directly to the Receipt Head Account of DGS&D as prescribed by CGA.

(d)Indentors shall be directly responsible for any non-compliance/default for the afore-said provisions.

19-Inspection Authority:

For Civil
ADG(QA), Jeevan Tara Building, Parliament Street
New Delhi

20-Quality Assurance Officer/Inspecting officer:

For Civil
Director(QA), Delhi Directorate,
Jeevan Tara Building, 4th Floor, Sansad Marg
New Delhi
DELHI - 110001
For stores procured against DGS&D Rate Contract the
Inspection Officer would be:
(i) User Departments/DDO/Consignee itself or any
authority/agency appointed by them or
(ii) Additional Director General (QA) in DGS&D (if
desired by user Departments/DDO/Consignee).

21-Place where the Stores are to be Tendered
for Inspection:

M/s. Jaimini Brothers Steel Industries, M-14, Sector 02,
DSIDC Industrial Area, Bawana, New Delhi-110039

22-R/C is DDOs Operated:

Yes

With effect from First October two thousand eight (01-10-2008), all supply order(s) against this Rate Contract must be placed by Direct Demanding Officer(s) on-line through D.G.S&D web site (www.dgsnd.gov.in) (indentor's page) only. Supply order(s) in any other form placed on or after 01-10-2008 shall not be valid and shall not be acted upon by the contractor or any other concerned agencies.

DDO shall download the supply order and send an ink signed copy to the concerned paying authority specified in the rate contract through Registered / speed post immediately after on-line placement of Supply Order(s).

23-Packing & Specification :

see annexure

24- Departmental Charges : Departmental charges at the rates prescribed by government from time to time shall be levied, for the services rendered by the Directorate General of Supplies and Disposal, in regard to Purchase & Inspection. The rates currently applicable for departmental charges in regard to purchase and inspection of stores against DGS&D R/C.

24(a) For Purchase : - Departmental Charges will be levied @ 1.0% of the value of the contract or supply order placed against the DGS&D rate contract.

24(b) For Inspection :- Departmental Charges will be levied @ 1.0% of the value of the contract or supply order placed against the DGS&D rate contract.

24(c). The value of the Contract or Supply Order shall be all inclusive basis including all taxes & duties. Service tax at prevailing rate as applicable shall be chargeable as extra on the Departmental Charges.

24(d) Such direct/referral Supply Orders being placed by various Government users on Rate Contract holding firms or

their dealers/sub agents,obtaining supplies and making direct payments to the firms for the cost of stores prescribed in the Rate Contracts are liable to pay a nominal fee as Departmental Charges @0.25% of the value of Supply Order (all inclusive including taxes & duties) + Service Tax extra as applicable. After receipt of Supply Order,the firm will deposit the said Departmental charges + service tax thereon at the rates provided in the R/C to the concerned Controller of Accounts (CCA) viz. Delhi/Mumbai/Kolkata/Chennai, as the case may be ,as indicated in the R/C by way of Demand Draft/Bank Transfer. In case , the supplies are made in installments, the aforesaid Departmental charges + Service Tax can be paid by the firm with CCA on pro-rata basis based on the value of the supplies made. In case no supplies are made, Departmental charges would not be payable / claimable as no service would deem to have been rendered by DGS&D. The firms can claim Departmental charges from PAO of the indentor for the direct/referral orders placed by them.Those who err/conceal/misrepresent/default in payment of prescribed Department Charges would be viewed adversely and shall be liable for actions as deemed fit by DGS&D including de-registration,debaring or suspension of business dealings,blacklisting , bad performance and denial of further Rate Contracts etc, in addition to recovery of the requisite amounts.IT would be the responsibility of the user department to ensure that the prescribed departmental charges have been paid by the supplier before releasing their payments for the supplies. The firm would also disclose the same to DGS&D.

24(e) The Referral /Direct Orders placed by the indentor by tweaking DGS&D Rate Contract terms & condition and/or Specifications and obtaining the supplies within 1% of the DGS&D Rate Contract prices, such transactions will fall within the purview of DGS&D Rate Contract and will also attract the aforesaid Departmental Charges @0.25% of the value of stores ordered and supplied alongwith applicable Service Tax thereon.

24(f) In the event of placing such Referral/Direct Supply Orders, indentors shall send e-mail to DGS&D for which a special provision would be provided on DGS&D website. While the indentors placing on-line Supply Order on DGS&D e-procurement portal shall have the protection under the terms & conditions of DGS&D Rate Contract, the same would not be available in case they choose to place paper Supply Order and such transactions would be at their own risk.

25.DGS&D reserves the right for pre-dispatch inspection at manufacturer"s premises or consignee end inspection after receipt of stores or at both places,at the option of indentors.

26.Jurisdiction/Arbitration Clause

a)Jurisdiction will be the place of issue of the rate contract.Sole Arbitrator will be appointed by DG(S&D).For details refer Clause-23 of DGS&D-1001.Further,where the Contract/Rate Contract is governed by DGS&D arbitration clause,the dispute cannot be referred by the supplier or entertained by Facilitation Council or any other Adjudicating Forum.

b)The arbitrary as appointed under provisions of para 18.1.1 of DGS&D Mannual shall adjudicate only on the disputes arising out of interpretation of terms & conditions stipulated in Rate Contracts.For settlement of disputes relating to execution of supply orders placed by various Direct Demanding officers (DD0s)/Indentors against DGS&D Rate Contracts, each DDO/INDENTOR shall himself nominate an arbitrator at the time of placement of supply orders,as per guidelines/instructions for appointment of arbitrator in indenting organisation.

c)DGS&D or its regional offices shall not be made a party in any dispute relating to execution of Supply Order placed by DDO/Indentor against DGS&D Rate Contracts including the case filed in MSME Facilitation Councils.

()

Asstt. Director (S) / Section Officer / Dy. Director
For and behalf of the purchaser named in the Form DGS&D 1001.

All the R/C particulars including prices in respect of individual R/Cs are available on DGS&D website which can be accessed by all.The DGS&D website is <http://dgsnd.gov.in>

TEST REPORTS FOR REGISTRATION AND ACCEPTANCE OF GOODS:

In case of products having satisfactory test reports from International Laboratory Accreditation Cooperation (ILAC) or their worldwide affiliated/recognized labs or NABL approved labs, it would be sufficient to consider the products of requisite quality for acceptance without insistence for any further testing pursuant to DGS&D Manual Correction Slip No. 38 dated 18-12-2012.

SCHEDULE - C

List of Parallel Rate Contract For Document Laminating & Binder Machine

Sr.No.	NAME & FULL ADDRESS OF FIRM	R/C NO & DATE
1	JAIMINI WZ-934/5, BASAI DARA PUR, RATTAN PARK, SHIVAJI MARG, NEW DELHI 110015 NEW DELHI DELHI 110015	DLBM/WMT-2/RC- V30A0000/1016/12/NC387/29 30-OCT-15

NOTE:

(1) Before placing supply order, DDOs are advised to check with DGS&D or on the website whether any further RCs have been awarded or amendments to Rate Contract have been issued.

(2) All the R/C particulars including prices in respect of individual R/C's are available on DGS&D website, which can be accessed by all. The access code of DGS&D website is <http://dgsnd.gov.in>.

ANNEXURE

(A) For Punching Machine:-

- (1) The electrically operated punching machine shall have the capacity for deletion and addition on the final bound documents.
- (2) The comb/spiral/wiro as applicable for the items quoted shall be in White colour or any other colour as per indentor's choice.
- (3) Tenderers should furnish a guide/leaflet clearly indicating the comb/spiral/wiro size and the no. of sheets it can accommodate.
- (4) Electrically operated punching/laminating machine shall have facility of protection against electric shock.
- (5) The tenderers shall declare the technical particulars for all the models quoted in their offer which will be incorporated in the rate contract for verification at the time of Inspection in respect of the following:

- (i) Make & model no. of machine
- (ii) Maximum working width.
- (iii) Material of machine body, Material of punching tool, heat treatment and Finish etc.
- (iv) Pitch of comb/spiral/wiro.
- (v) Size of punch hole and wire / strip for both spiral/comb/wiro.
- (vi) Punching speed (Sheets per hour) as applicable in case of electrically operated punching machine.
- (vii) Binding Speed (per Hour) as applicable in case of thermal document binder.
- (viii) Machine size L x W x H.
- (ix) Machine Weight.

(B) For Laminating Machines:-

Tenderers shall submit following Technical Data for each models quoted separately along with tender.

- a) Model
- b) Max. Laminating width
- c) Thickness of laminating
- d) Power consumption
- e) Max. Laminating speed
- f) Heating equipment details.
- g) Motor type as per relevant IS: 996:1979 Reaffirmed 2002
- h) Reverse Switch Provided.
- i) Weight
- j) Overall dimensions
- k) Speed control
- l) Mounting thickness

(C) Type Test:-

1. One sample of each model shall be type tested and complete type test reports shall be required at the time of registration and inspection.
2. Type type test certificate (TTC) shall be from International Laboratory Accreditation Corporation (ILAC) or their worldwide affiliated/recognized labs or NABL approved labs as per the DoC Correction slip No. 38 dated 18-12-2012 of DGS&D Manual.

(D) Inspection & Testing:-

1. 10% of Binder / Laminating/punching Machine shall be tested for functional test

as per specifications mentioned under detailed specification and in GTR during inspection.

2. All testing of electrically operated machines are to be carried out on 240 V +/- 10%, 50 Hz AC supply.

3. In case of Binding Covers & Spiral /Comb / Wiro Rings 5% samples shall be drawn from the lot and shall be checked for suitability as per the requirement.

4. Tolerance of up to 150 mm +/- 1.5% & +/- 2% from 150 mm to 600 mm will be allowed on width and length of the film/pouch/rolls & thickness requirement will be as per manufactures declaration.

5. In case of Laminating Pouch, Thermal Folder & Laminating Film 01 sample out of 100 Nos. shall be checked for performance.

6. Total thickness of the film and thickness of the base material shall also be verified during the inspection.

(E) Registration:-

1. Tenderers shall be registered with DGS&D or NSIC to become eligible to quote against the T/E.

2. Registration for all items except Accessories is required.

Roll to Roll Hot Lamination Machine

Specification :

Hot laminating machines with operating temperature up to 160 Degree C suitable for operation on 230V or 240V, 1 Phase, 50 Hz A C supply.

Spiral & Comb Ring (Accessories)

Specification :-

Thermal Folder (Accessories)

Specification :-

Laminating Pouch (Accessories)

Specification :

Laminating film of the laminating pouch made of PET (Poly Ethylene Terephalote) + EVA (Ethyl Vinyl Acetate) material suitable for above machines and shall be procured from Garware , Max or Cosmo.

Firm have to produce invoice and test report from the manufacturer during the inspection.

Wiro Ring (Accessories)

Specification :-

Manual Punching Machine for Manual Binding

Specification :

Manual punching machine should have punching facility i.e: Disengage and Engage any or all the keys / Punches with margin control and adjustable scales. In addition to above, the punching machine shall meet the following requirements:

(i) Punching blades : High carbon steel blades.

(ii) Maximum binding thickness : 50 mm.

(iii) Chip tray to collect the wastes: To be provided.

(iv) Alignment scale to enable the alignment and guide the side & punch margin of

the papers.

(v) Machine shall have necessary protective features for safe operation.

(vi) Machine shall have binding margin control facility.

(vii) Machine shall have gravity feed table to ensure proper feeding of paper.

(viii) The self sharpening punches shall be of tool steel duly harden/tempered for longer life.

(ix) Transparent sheet of 125,175 and 250 microns of polyester as applicable.

(x) PVC rigid sheets of 250 microns thickness having one side plain and other side grain.

(xi) Letherette of 250 GSM of pulp board with grains on both sides.

(xii) Body of the Binder should be Aluminium die cast / steel.

Laminating Film Rolls (Accessories)

Specification :

Laminating film made of PET (Poly Ethylene Terephalote) + EVA (Ethyl Vinyl Acetate) material suitable for above machines and shall be procured from Garware , Max or Cosmo.

Firm have to produce invoice and test report from the manufacturer during the inspection.

Electrical Punching Machines for Manual Binding

Specification :

Electrical punching machine should have punching facility i.e: Disengage and Engage any or all the keys / Punches with margin control and adjustable scales. It should have overload protection device and to operate on 230V +/- 10%, 50 HZ AC supply. In addition to above, the punching machine shall meet the following requirements:

(i) Punching blades : High carbon steel blades.

(ii) Maximum binding thickness : 50 mm.

(iii) Punching speed : 4000 sheets / hour.

(iv) Chip tray to collect the wastes: To be provided.

(v) Alignment scale to enable the alignment and guide the side & punch margin of the papers.

(vi) Machine shall have necessary protective features for safe operation.

(vii) Machine shall have binding margin control facility.

(viii) Machine shall have gravity feed table to ensure proper feeding of paper.

(ix) The self sharpening punches shall be of tool steel duly harden/tempered for longer life.

(x) Transparent sheet of 125,175 and 250 microns of polyester as applicable.

(xi) PVC rigid sheets of 250 microns thickness having one side plain and other side grain.

(xii) Letherette of 250 GSM of pulp board with grains on both sides.

(xiii) All electrically operated document binders shall conform to safety requirements as per IS:302 (Part 1 / 1979 with amdt 1 to 7)

(xiv) Body of the Binder should be Aluminium die cast / steel.

Pouch Lamination Machine (Desktop Type)

Specification :

Desktop pouch laminating machine with operating temperature up to 140 Degree C suitable for operation on 230V or 240V Single Phase, 50 Hz A C supply.

LIST OF ALL AMENDMENTS

For RC No. DLBM/WMT-2/RC-V30A0000/1016/12/NC387/29

NOTE: No Amendments issued till date 05-NOV-15